

[2024-07-05 07:01:44.629] Asterisk 20.8.1+asl3-3.0.0-1.deb12 built by builder @ allstarlink.org on a aarch64 running Linux on 2024-06-13 23:09:36 UTC
[2024-07-05 07:01:44.674] NOTICE[933] loader.c: 70 modules will be loaded.
[2024-07-05 07:01:44.921] NOTICE[933] cdr.c: CDR simple logging enabled.
[2024-07-05 07:01:44.924] NOTICE[933] dnsmgr.c: Managed DNS entries will be refreshed every 300 seconds.
[2024-07-05 07:01:44.947] NOTICE[933] indications.c: Default country for indication tones: us
[2024-07-05 07:01:44.947] NOTICE[933] indications.c: Setting default indication country to 'us'
[2024-07-05 07:01:45.034] NOTICE[933] res_smdi.c: No SMDI interfaces are available to listen on, not starting SMDI listener.
[2024-07-05 07:01:45.048] WARNING[933] chan_dahdi.c: Only FX0 signalled channels may belong to a call group
[2024-07-05 07:01:45.048] WARNING[933] chan_dahdi.c: Only FX0 signalled channels may belong to a pickup group
[2024-07-05 07:01:45.048] NOTICE[933] chan_dahdi.c: Ignoring any changes to 'userbase' (on reload) at line 23.
[2024-07-05 07:01:45.048] NOTICE[933] chan_dahdi.c: Ignoring any changes to 'vmsecret' (on reload) at line 31.
[2024-07-05 07:01:45.048] NOTICE[933] chan_dahdi.c: Ignoring any changes to 'hassip' (on reload) at line 35.
[2024-07-05 07:01:45.048] NOTICE[933] chan_dahdi.c: Ignoring any changes to 'hasiax' (on reload) at line 39.
[2024-07-05 07:01:45.048] NOTICE[933] chan_dahdi.c: Ignoring any changes to 'hasmanager' (on reload) at line 47.
[2024-07-05 07:01:45.048] WARNING[933] chan_dahdi.c: Only FX0 signalled channels may belong to a call group
[2024-07-05 07:01:45.048] WARNING[933] chan_dahdi.c: Only FX0 signalled channels may belong to a pickup group
[2024-07-05 07:01:45.251] WARNING[933] loader.c: Module 'res_adsi' has been loaded but may be removed in a future release.
[2024-07-05 07:01:45.343] NOTICE[1028] app_rpt.c: Normal Repeater Init 585244
[2024-07-05 07:01:45.347] NOTICE[1039] chan_simpleusb.c: Channel 585244: Set option TONE VERIFY, mode: OFF(0).
[2024-07-05 07:02:44.662] ERROR[1039] chan_simpleusb.c: Channel 585244: HID process has died or is not responding.
[2024-07-05 07:02:44.974] WARNING[1028] app_rpt.c: rpt_thread restarted on node 585244
[2024-07-05 07:02:44.978] NOTICE[1278] chan_simpleusb.c: Channel 585244: Set option TONE VERIFY, mode: OFF(0).
[2024-07-05 07:02:45.011] ERROR[1279] chan_simpleusb.c: Channel 585244: Unable to open DSP device 1: Device or resource busy.
[2024-07-05 07:02:45.031] WARNING[1278] chan_simpleusb.c: Possibly stuck USB read channel. [585244]
[2024-07-05 07:02:45.058] WARNING[1278] chan_simpleusb.c: USB read channel [585244] was not stuck.
[2024-07-05 07:02:49.026] ERROR[1278] chan_simpleusb.c: Channel 585244: HID process has died or is not responding.
[2024-07-05 07:03:07.547] WARNING[1048] app_rpt/rpt_manager.c: Channel SimpleUSB/585244 does not exist, cannot access variables
[2024-07-05 07:03:08.553] WARNING[1048] app_rpt/rpt_manager.c: Channel SimpleUSB/585244 does not exist, cannot access variables
[2024-07-05 07:03:09.556] WARNING[1048] app_rpt/rpt_manager.c: Channel SimpleUSB/585244 does not exist, cannot access variables
[2024-07-05 07:03:10.560] WARNING[1048] app_rpt/rpt_manager.c: Channel SimpleUSB/585244 does not exist, cannot access variables
[2024-07-05 07:03:11.563] WARNING[1048] app_rpt/rpt_manager.c: Channel SimpleUSB/585244 does not exist, cannot access variables

